

# SW200 Standard Wax

## Efficient Wax Thermal Transfer Ribbon



Food/Beverage



Health/Beauty



Logistics



Retail



The printhead cleaner *built in* your ribbon.

### Benefits

- Handles general purpose applications with ease
- Highly compatible - no printer adjustments
- Remarkable blackness in print quality
- Good stock latitude from rough to smooth coated papers
- Excellent print quality on flood coated labels
- Specially formulated backcoat protects the printhead
- Clean Start® built-in printhead cleaner maintains print quality

### Recommended Stocks

#### Paper

- Vellum
- Matte Coated
- Semi-Gloss
- Gloss
- Floodcoats

### Applications

- Compliance labelling
- Component identification
- Hang tags
- Ingredient lists
- Prepared foods
- Prime label
- Product identification
- Shipping
- Warehousing
- Work in Process (WIP)

### Key Product Range

STANDARD WAX	ENHANCED WAX	WAX RESIN	RESIN	NEAR EDGE
SW150 SW200	GP725 DC100	PM255 PM308 DC200	SP330 SP575 DC400	NETMark IQ NETFlex+ NETFlex+ XL NET330 NETColour

### Technical Specifications

Colour Code Tab ..... Red  
 Film Thickness ..... 4.5 Microns  
 Total Ribbon Thickness ..... 8.1 Microns  
 Transmission Density ..... >4.0 MacBeth Scale  
 Ink Melting Point ..... 67°C / 152°F

### Imaging Characteristics

Printhead ..... Flathead  
 Max Print Speed ..... 10 IPS (254 mm/s)  
 Image Darkness ..... 1.9 RD (densitometer)


### Compliance

- REACH – SVHC Free
- RoHS
- FDA GRAS Recognized
- FDA 21CFR175
- ISEGA

### Storage Conditions

12 months recommended  
 20-85% Relative Humidity Rate, -5-40°C (23-104°F)

### Performance Ratings



Liesdonk 5b • 2440 Geel, Belgium  
 Tel: +32 14 579800 • sales@iimak.be • www.iimak.eu